




ST7000

SMALL. DISCREET. SOPHISTICATED.



**THE COMMUNICATION NEEDS OF
EXECUTIVES, CUSTOMER-FACING STAFF
AND SENIOR OFFICERS IN OFFICE, AIRPORT,
HOTEL AND CASINO ENVIRONMENTS ARE
DRIVEN BY STYLE, AS WELL AS FUNCTION**

**TO MAINTAIN THE
HIGHEST LEVEL OF
CUSTOMER SERVICE,
THESE PROFESSIONALS
NEED A DEVICE THAT
ALLOWS THEM TO KEEP
THEIR EYES UP AND
THEIR HANDS FREE**



Working closely with our customers, we uncovered their need for a communications tool that delivers a smartphone-like form factor, without the associated distractions. To maintain the highest level of customer service, these professionals need an intuitive, easy-to-use digital radio that delivers high quality audio, blends seamlessly with their image, and whose purpose is increasing productivity, not providing entertainment.



ST7000

SMALL TETRA RADIO



The ST7000 small TETRA radio exceeds these needs with its compact and elegant form, simple user interface and clear audio. With a hybrid internal and external antenna system, the ST7000 is discreet and fits easily in a pocket. The touch sensitive buttons, integrated Bluetooth® 4.0 wireless technology, reversible USB-C connector for charging, and 3.5mm audio connector make the ST7000 a flexible, modern TETRA radio.

THE **ST7000** DELIVERS UNCOMPROMISING AUDIO QUALITY AND COVERAGE IN A SMALL, ELEGANT AND DISCREET FORM FACTOR **IDEAL FOR CUSTOMER-FACING STAFF**

The ST7000 provides customer-facing staff and senior officers with an effortless communications tool that allows them to increase productivity and keep their focus on what matters most - the customer or the situation and not the device.



FEATURES


- Small and elegant design
- Simple and intuitive user interface
- Vibrate alert and haptic feedback for discreet use
- White OLED screen with touch UI for easy navigation
- Loud and clear audio
- 3.5 mm audio connector for maximum accessory compatibility
- Reversible USB-C connector for flexible charging and programming
- Enhanced coverage with 1.8W transmit power
- Durable with IP54 and MIL-STD 810 F/G rating
- Long-life battery with up to 19 hours of use
- Integrated Bluetooth 4.0 wireless technology
- GPS, BeiDou and GLONASS for location services



SMALL AND ELEGANT

DISCREET STYLE


Customer-facing staff can now enjoy the benefit of clear and effective voice communications in a form factor as sophisticated as their professional attire. The ST7000 small TETRA radio provides uncompromising coverage with a hybrid internal and external antenna system, all in a compact, elegant, and discreet design. Small enough to fit in a pocket, the ST7000 practically disappears when worn.



SIMPLE CONTROLS

EASY TO USE

The ST7000 was designed for ease of use by combining the reliability of a two-way radio with the usability of a smartphone. Tactile keys are available for Push-to-Talk, volume, talkgroup and power control; a touch user interface controls the rest of the radio's functions. A simple press of the power key reveals an OLED display and touch zones on the front of the radio. The icons light up when selected, and haptic feedback is provided, simulating the feel and responsiveness of a physical keypad.



LOUD AND CLEAR AUDIO

UNCOMPROMISING QUALITY

The ST7000 delivers uncompromising audio quality and coverage despite its small and elegant form with low distortion, loud audio and 1.8W transmission power. An open speaker port and automatic gain control deliver clear audio against the loudest background noise.



**WITH AN ULTRA-SIMPLE
USER INTERFACE,
THE ST7000 IS AN
EASY-TO-USE
COMMUNICATION TOOL**



**AN IP54 RATING
AND UP TO 19
HOURS OF BATTERY
LIFE ENSURE
THE ST7000 IS
DESIGNED TO LAST**



FLEXIBLE CONNECTIVITY

MAXIMUM ACCESSORY COMPATIBILITY

A 3.5mm audio connector and a reversible USB-C connector for charging provide maximum flexibility in how you listen to and charge your radio. Choose Motorola accessories for guaranteed performance and remote Push-to-Talk, or your own off-the-shelf audio accessories for a full range of options. Charging on-the-go is convenient with the new, reversible, rugged USB-C connector. Integrated Bluetooth 4.0 wireless technology places a wide range of wireless accessories - audio headsets, Push-to-Talk buttons, smart devices, and more - at your disposal, providing greater flexibility and control of the ST7000.



DURABLE

DESIGNED TO LAST

The ST7000's durable design and long-life battery makes it easy to survive daily work-related challenges. It's certified to withstand dust, rain, shock and drops, with an IP54 and MIL-STD 810 F/G rating. With a battery life of up to 19 hours, your focus remains on the job, not the clock.



STYLE AND FUNCTION

The ST7000 small TETRA radio combines an elegant and discreet form, simple user interface and high quality audio.



LED Coverage Indicator

Full Duplex Earpiece

OLED Display

Touch User Interface



Open Speaker Port



3.5mm Audio Jack

USB-C Connector

Microphone



ST7000 ACCESSORIES

Select from a variety of Motorola accessories designed, tested and certified to optimise the performance of your ST7000.

Integrated Bluetooth 4.0 wireless technology and a 3.5mm audio connector enable your ST7000 to work with consumer off-the-shelf audio accessories. However, for guaranteed audio quality, we suggest the use of Motorola certified accessories.



AUDIO ACCESSORIES

The following 3.5 mm earpieces have been tested and certified with the ST7000.

PMLN7508	3.5mm Earbud with Inline Microphone and Push-to-Talk
PMLN7509	3.5mm 2-Wire Earpiece with Translucent Tube

CARRY ACCESSORIES

Our carry accessories keep your hands free so you can concentrate on the task ahead.

PMLN7510	Carry Holster
PMLN7511	Carry Sling
AY000028A01	Lanyard
42015005001	Lanyard



PMLN7510

BATTERIES AND CHARGERS

IMPRES™ chargers provide the most accurate information on each battery in your fleet so you know they're fully charged and will last the entire shift. With IMPRES 2, you can charge your batteries up to two times faster and they can be re-charged 60% more times than a traditional Li-Ion battery. The Multi-Unit Charger is capable of charging 12 radios or 6 radios and 6 batteries simultaneously, and can be equipped with iTM for automatic radio programming.

PMNN4510	IMPRES 2 Li-Ion 2200 mAh Slim Battery
PMPN4121	IMPRES 2 Multi-Unit Charger with Euro Plug
PMPN4122	IMPRES 2 Multi-Unit Charger with UK Plug
PMPN4120	IMPRES 2 Multi-Unit Charger with US/Japan Plug
PS000150A22	USB-C Wall Charger Euro Plug
PS000150A23	USB-C Wall Charger UK Plug
PS000150A21	USB-C Wall Charger US/Japan Plug



PMPN4121

ANTENNAS

AN000168A01	Antenna 380-430 MHz, 25mm
AN000171A01	Antenna 806-870 MHz, 15mm

MISCELLANEOUS

PMHN4359A	Battery Cover
PMKN4196	Radio Programming Cable

BLUETOOTH AUDIO ACCESSORIES

Our exclusive Operations Critical Wireless accessories handle loud environments, while an optional wireless PTT seamlessly links to any accessory. Just put the PTT in a pocket or on a lapel and connect instantly.

NNTN8191	Wireless Push-to-Talk Pod
NTN2572	Wireless Replacement Earpiece with 12-inch Cable (requires NNTN8191)
NNTN8294	Single Wire Earbud with Inline Microphone, 29cm Cord, Black
PMLN7203	Flexible Earpiece with Boom Microphone (requires NNTN8191)
PLMN6463	Bluetooth Kit Includes a Receive-only Earpiece and Bluetooth Pod
NNTN8433	Completely Discreet Wireless Surveillance Kit Includes: Wireless Neckloop Y Adapter and Retention Hook, Completely Discreet Earpiece Kit and Wireless Push-to-Talk Pod



NNTN8191

NNTN8294

PLMN6463

NNTN8433

ANTENNA BANDS

Colored bands easily slip on antennas and enable you to quickly identify custom radio user groups.

32012144001	Pack of 10 Gray Antenna ID Bands
32012144002	Pack of 10 Yellow Antenna ID Bands
32012144003	Pack of 10 Green Antenna ID Bands
32012144004	Pack of 10 Blue Antenna ID Bands
32012144005	Pack of 10 Purple Antenna ID Bands



Antenna ID Bands

ST7000 SPECIFICATIONS



GENERAL

Dimensions H x W x D	107 x 60 x 19mm
Dimensions H x W x D Including Antenna	132 x 60 x 19mm*
Weight Including Battery and Antenna	181g
Battery	Removable 2200 mAh IMPRES Li-Ion
Battery Performance	Duty Cycle 5/5/90 > 19 Hours
	Duty Cycle 5/35/60 > 14 Hours
	Speech Loudness at 30cm: 94 Phon
Audio	Audio Output Power at Rated / Max: 0.9 W
	Audio Distortion at Rated: 1.0 %

RF SPECIFICATIONS

Frequency Bands	350-470 MHz, 800 MHz
Transmitter RF	1.8W. Power Class 3L & Class 4
Receiver Class	A and B
Rx Static Sensitivity (UHF)	UHF: -116dBm (min); -118dBm (typical)
	800 MHz: -114dBm (min); -116dBm (typical)
Rx Dynamic Sensitivity	UHF: -107 dBm (min); -109 dBm (typical)
	800 MHz: -105 dBm (min); -107 dBm (typical)

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature °C	-20 to +55
Storage Temperature °C	-30 to +85
Humidity	ETS 300-019-1-7 Class 7.3E, MIL STD 810 F, G
Dust and Water Ingress Protection	IP54 (All Connectors are IP67 Rated)
	Dust, Driving Rain Protection
Shock, Drop and Vibration	ETS 300-019 1-7 class 5M3; MIL-STD 810 D/E/F/G

MAIN VOICE SERVICES

Full Duplex TMO Private, PABX, PSTN, Emergency
Half Duplex TMO Private, Group, Emergency
Half Duplex DMO Private, Group, Emergency
Inter-MNI, Gateway, Repeater Compatible
PTT Double Push
Adaptive Audio Control (AGC)

Emergency Call Management

Tactical Emergency Group Call to ATTACHED Talkgroup
Non-Tactical Emergency Group Call to DEDICATED Talkgroup
HOT MIC Emergency - Hands Free in Moments That Matter
Emergency Status Msg Sent to Dispatch Console
Preemptive Priority Calls

DMO Repeater and Gateway Services

Works with DMO Repeaters and Gateways

BLUETOOTH AUDIO & DATA SERVICES

Bluetooth Versions Supported	Bluetooth 2.1 +EDR, Bluetooth 4.0, Bluetooth Smart (BTLE)
Bluetooth Security	Bluetooth 2.1 Introduces Mandatory Encryption with Secure Simple Pairing (SSP), Easier Pairing and Preventing Sniffing / Hacking Bluetooth 4.0 Supports Security Manager (SM) Services with AES Encryption
Bluetooth Audio	HeadSet Profile, Fast PTT with Motorola Solutions Accessories
Bluetooth Data Services	Serial Port Profile, Dial Up Networking Profile, Discovery Mode, Generic Access Profile, Generic Attributes Profile (GATT), Heart Rate Profile, Battery Service Profile, Devices Info Profile.

LOCATION SERVICES

Constellations Supported	GPS, BeiDou, GLONASS
Simultaneous Satellites	12
	Integrated External Antenna
Tracking Sensitivity	-163 dBm
Accuracy	< 5metre (50% probable) @ -130 dBm
Protocols	ETSI LIP, LRRP

*With 800 MHz Antenna, Radio Height is 122mm. With 380 - 430 MHz Antenna, Radio Height is 132mm

ST7000 SPECIFICATIONS

USER INTERFACE
Hard Keys
High Tactility PTT
Power / Wakeup Button
Talkgroup Change Rocker Switch
Volume up / down
2 Configurable One Touch Buttons, Extensive List of Functions
Touch User Interface
Touch sensitive menu icons usable with gloves or in the rain
Simplified user interface
Menu editor, simplify and tailor to user needs
Display
PMOLED 128 x 64 pixels, white
Simplified User Interface
Favourite Talkgroups
Favourite Contacts
Bluetooth
Radio Settings
My Info
Language Options
Advanced User Interface
Talkgroups – TMO Folders, TMO Unique 10,000, TMO Instances 10,000
Talkgroups – DMO Folders, DMO Groups, 2,000
Country/Network Code List - up to 100, by contact or talkgroup
Scan Lists - 40 lists of up to 20 groups
Contacts - up to 1000 with 6 numbers per contact (max 2000 unique numbers)
Fast/Flexible Call Set Up / Answer
Multiple Ring Tones possible
Text & Status Messaging
Status Messages sent from programmable button
SECURITY OPTIONS
Enhanced Security - OTAR/DMO SCK**
Authentication (Mutual)**
Air Interface Encryption (ETSI / SFPG TEA Algorithms)**
Security Class 1, 2, 3 and 3G support**
End to End Encryption: Motorola CRYPTR micro Hardware Module, FIPS 140-2 Level 3 validated**
BOS Smart Card support**
Permanent Disable (ETSI, V2-Customer Restore)
Temporary Disable (Stun)
DATA & MESSAGING SERVICES
Secondary Control Channel
ETSI and Enhanced AT Commands (including Voice Control and Short Data)
TNP1 - Support simultaneous Packet Data and Short Data Services over PEI
iTM Fleet Management (Remote Programming)
Wi-Fi hardware ready

** Expected in 2017

SERVICE FROM THE START FOR ST7000
ENSURING MAXIMUM PERFORMANCE TO MEET YOUR MISSION CRITICAL REQUIREMENTS

PROVEN PROTECTION

With our proven capability, you can be sure your equipment is expertly repaired and back in the hands of your users quickly. Using the latest tools and with strict adherence to Motorola engineering procedures, our expert technicians diagnose and repair units to original manufacturing specifications.

TECHNICAL EXPERTISE

Experienced technical support engineers work with you to diagnose and resolve hardware and software problems resulting in swift resolution of issues for your end users.

CUSTOMER SERVICE

A single source of support delivered through our state-of-the-art diagnostics equipment, repair tools, and an extensive inventory of replacement parts help us to provide expert repair on your TETRA terminals.

PEACE OF MIND

Our support programme protects your hardware investments from every angle, all designed to optimise device performance, minimise downtime and keep operations running smoothly and within budget.

ST7000

SMALL. DISCREET. SOPHISTICATED.



For more information, please visit: www.motorolasolutions.com/ST7000

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2016 Motorola, Inc. All rights reserved. 05-2016



Celab
COMMUNICATIONS
www.celab.se